



CHIMNEY BRUSHES AND ACCESSORIES 2017



Sales Department: About the company

We introduce you our new catalogue of products and goods with focus on parts productin for lightning rods – earthing and products of technical and chimney brushes, uptakes and other accessories. From the historical point of view very important is year 1996 when our company started to produce on rented premises basic range of these products, created its commercial strategy and began to promote on domestic market.

Next significant phase was reconstruction of our own site in Radkov by Vítkov in 2002 which enabled our company to extend and complement new techonological machinery and to increase our production capacity at the same time.

Since 2003 our company is fully stabilized, equipped with high-quality machinery, own road transport and team of reliable and professional workers who are able to react at your specific requirements.

This catalogue is not closed-loop system and it will be completed continuously according to the customer's needs with new or innovated products and other goods within trade activities of our company.

Dear customers

The goal of our company is your satisfaction with quality and reliability of our products including high-quality technical support and related services in trade pattern.

We will be more then happy to hear your comments related to compliance of our products and our workers are ready to react to your requirements which please be so kind and direct them at our contact and trade addressess.



DESCRIPTION AND PRODUCTION OF OUR PRODUCTS

1. Chimney brushes round steel:
 - Material – steel wire with diameter 0,4mm – is used for brushes production up to diam. 130 mm, steel wire diam. 0,6 mm is used for brushes production from diameter 140 mm.
 - Up to diameter 40 mm are used spiral brushes, above the diameter 40 mm – 250 mm are custom-made.
 - Central steel wire for brushes production is with diameter 2,8 mm
 - All brushes are equipped with termination thread M12, we are able of custom-made production for termination thread M8 and M10.
 - We also produce brushes from stainless steel material – diameter of stainless steel wire 0,4 and 0,6 mm from material nylon – polyamid and from material fibr
2. Steel square brushes:
 - Material – steel wire of diameter only 0,4 mm – bigger diameters of wire are limited by cutting of brush diameter, always in two dimensions for example 30x50 mm, we can do diameters 400x400 mm as well
 - all brushes are indicated with EAN codes – there is designation of brush, its name and address of our compnay with contacts
3. Round steel brushes with eye, weight 0,5kg and chain – are used for chimney vents – is meant for better cleaning of chimneys
4. Chimney rosettes – without weights and with weights 0,5 kg with diameters 150 and 200 mm, it is used with chimney extensions
5. Chimney machine – the difference between rosette and machine is that it is attached to cord not on extension, better controllability, weights 0,5 kg – 1kg, it is possible to exchange liners for the machine – stainless steel + nylon-polyamid
6. Rope extensions – are made from rovings 4x3mm, made of 4 wires – rovings of diameter 3mm
 - steel, termination thread M12 – thread external and internal – possibility to connect other parts for longer lengths, length up to 10m
 - we produce also cord extensions with modification PVC length up to 10m – serves for cleaning of chimney liners mainly stainless steel
7. Wire extensions – are made of parts 1, 1.5 and 2m, from steel wire diam. 3,8 mm – it is connection of 2-piece wire with diameter 3,8 mm, on one side the extension has an eye, on the other end there is termination thread M12
8. Bar extensions – are made of steel material, diam. 14x2 mm in lengths 1m with termination thread M12 from one side and from the other there is PVC handle
9. Chimney steel brushes – are made of steel material, wire diam. 3,80mm, 2 wires, with a fixed chimney round steel brush 160 mm in diameter, 0,4 mm diameter wire, at the other end of the brush is an eye for possible attachment, used for cleaning fireplace chimneys, 2, 3, 4 m long.
10. Chimney and boiler cleaning sets – 3-part – from steel material, consists of grate fire poker, grate hooklet and cleaning brush, standard cleaning brush mounting: 30x80 mm (for example for boilers VIADRUS), everything in lengths 560 mm and 800 mm.


STATUTORY DECLARATION

Company KOVOBLESK KPS OPAVA s. r. o. supplies chimney brushes and accessories into following companies:


1. M.A.T. Group, s. r. o., based in Roudná 176, 301 62 Plzeň, Czech Republic, contact person: Mgr. Jaroslav Maxa, tlf. +420 605 229 329, e-mail: jaroslav.maxa@matgroup.cz, web: www.matgroup.cz
2. V.P.F. Medium s. r. o., Šulekova 18, 811 03 Bratislava, Slovakia, contact person: Ing. Gabriela Šimova, tlf. +048 413 65 65, e-mail: simona@vpfmedium.sk, web: www.vpfmedium.sk

I hereby declare that we supply our products which means chimney brushes and accessories into other European countries, both EU and outside EU, for example: Romania, Ukraine, Poland, Serbia, Croatia, Spain, Germany, Lithuania, Slovakia.

Radkov, June 2017


Mgr. Petr Stareček
business manager

PIPE AND CHIMERY BRUSHES



Brushes are meant for hand cleaning of uptakes and other pipeline and cavities.
Can be used also for electrical drills at the low engine speed.

- ROUND

Chimney round brushes - steel L - 100 mm, thread M12			
pr. D (mm)	order n.	pr. D (mm)	order n.
20	15 011	90	15 158
25	15 028	95	15 165
30	15 035	100	15 172
35	15 042	110	15 189
40	15 059	120	15 196
45	15 066	125	15 301
50	15 073	130	15 202
55	15 080	140	15 219
60	15 097	150	15 226
65	15 103	160	15 233
70	15 110	180	15 240
75	15 127	200	15 257
80	15 134	220	15 295
85	15 141	250	15 264
		300	15 271



Design of brushes

Dimensions:

from 20 - 95 mm - thickness of wire 0,4 mm
from 100 - 150 mm - thickness of wire 0,5 mm
from 160 - 300 mm - thickness of wire 0,6 mm



- SQUARE

Chimney round brushes - steel L - 100 mm, thread M12			
A x B (mm)	order n.	A x B (mm)	order n.
30 x 50	15 318	70 x 100	15 462
30 x 80	15 325	80 x 80	15 479
40 x 40	15 332	80 x 100	15 486
40 x 60	15 349	80 x 120	15 493
40 x 80	15 356	90 x 90	15 509
40 x 100	15 363	90 x 100	15 516
50 x 50	15 370	90 x 150	15 523
50 x 60	15 387	100 x 100	15 530
50 x 80	15 394	100 x 120	15 547
50 x 100	15 400	100 x 200	15 554
60 x 80	15 417	130 x 130	15 561
60 x 100	15 424	130 x 180	15 578
60 x 120	15 431	140 x 140	15 585
70 x 70	15 448	150 x 150	15 592
70 x 80	15 455	200 x 200	15 608
		250 x 250	15 645



Design of brushes:

For all given dimensions – thickness of wire 0,4mm


CHIMERY BRUSHES

- EYE, EYE - WEIGHT (0,5 kg)

- steel, thread M 12



Eye		Eye with weight	
pr. D (mm)	order n.	pr. D (mm)	order n.
160	64 736	160	64 798
180	64 743	180	64 804
200	64 750	200	64 811



CHIMERY BRUSHES

For sweeping out chimney vents of different sizes in connection with rope extension or chimney cord. Construction is formed either by adjustable springs or interchangeable polyamid liners (for gas vents).

Chimney rosette spring (adjustable) incl.weights springs 3pcs thread M12 springs 6pcs	diam / mm	order n.	weight - steel
	150	15 912	0,85 kg
	200	15 929	0,85 kg

Chimney rosette spring (adjustable) without weights thread M12	diam / mm	order n.	weight - steel
	150	14 953	-
	200	14 960	-

Chimney spring machine (adjustable)	diam / mm	order n.	weight - steel
	incl. weight	15 714	0,50 kg

Chimney machine nylon for gas vents (nylon liner diam.160) range of diam.: 100 - 200mm	diam / mm	order n.	weight - steel
	incl. weight	16 827	0,20 kg

Separately interchangeable liners - nylon th. 0,1mm	diameters		
	100 - 200 m		

Chimney machine stainless steel for gas vents (st. steel liner diam.160) range of diam.: 100 - 200mm	diam / mm	order n.	weight - steel
	incl. weight	14 731	0,20 kg

Separately interchangeable liners - stainless steel thickness 0,2mm	diameters		
	100 - 200 m		



BRUSH EXTENSIONS



Extensions are constructed as solid or flexible to be able to reach not easily accessible indoor spaces of boilers and heating units. Standard finishing of extensions with thread M12 (custom-made thread M8).

Rope extension (rope FeZn) thread M12, M8	length (m)	order n.
	1	15 813
	2	15 820
	3	15 837
	4	15 844
	5	15 851
	6	15 868
	7	15 875
	8	15 882
	9	15 899
	10	15 905

Wire extension, thread M12	length (m)	order n.
	1	15 738
	1,5	15 745
Rod extension, thread M12	2	15 769
	1	15 752



M12 – wire extension



M12 – rod extension

Extensions above 10m – custom-made production

CHIMNEY BRUSHES

Are meant for cleaning chimney vents and are constructed as undismantable together with cleaning brush in specified lengths.

For chimney vents for solid fuels

steel	length (m)	order n.
straight wire, steel 0,4 mm	2	15 943
length D - 160 mm	3	15 950
length dimension D - 140 mm	4	15 967



BOILER CLEANING SET

cleaning brush	order n.
3-part, length 560 mm - FeZn	51 101
3-part, length 800 mm - FeZn	51 118

gratefire poker	order n.
length 560 mm - FeZn	16 704
length 800 mm - FeZn	16 711

gratehook	order n.
length 560 mm - FeZn	16 636
length 800 mm - FeZn	16 643



standard fitting of cleaning brush: 30x80mm (for Viadrus)

CHIMNEY BRUSHES



- FÍBR, NYLON - steel, thread M 12

For sweeping out the chimney vents with standard connecting ending to chimney extensions by thread M12.

Material:

- natural fibre (higher heat resistance)
- nylon thickness 0,5 - 1 mm

	dimension (m)	order n.
Chimney brush fibr L-200mm, thread M12	120	14 519
	140	14 526
	160	14 533
	180	14 540
	200	14 557
Chimney brush nylon L-200mm, thread M12	120	14 571
	140	14 588
	160	14 595
	180	14 601
	200	14 618



PIPE AND CHIMNEY BRUSHES

- stainless steel, thread M 12

Suitable mainly for chimneys lined with stainless steel elements or other materials where common steel brushes can damage them or cause surface corrosion and thus accelerate ageing process of these chimneys.

Material:

- stainless steel wire quality - 1.4401

Design of brushes:

dimensions:

- from 20 – 40 mm – wire 0,3 mm
- from 50 – 90 mm – wire 0,4 mm
- from 100 – 140 mm – wire 0,5 mm
- from 150 – 200 mm – wire 0,6 mm

pr. D (mm)	order n.	pr. D (mm)	order n.
20	63 012	110	63 101
30	63 029	120	63 111
40	63 036	130	63 128
50	63 043	140	63 135
60	63 050	150	63 142
70	63 067	160	63 159
80	63 074	180	63 166
90	63 081	200	63 173
100	63 098		



NEWLY ON OFFER


BRUSHES EXTENSIONS



- with surface treatment PE - polyethylen, thread M12

These extensions have rubberised surface treatment. Rubberising prevents transfer of metal elements from steel wire to stainless steel lining during cleaning. Together with stainless steel brushes form complete assembly designated for effective cleaning of stainless steel liners.


length (mm)	order n.	length (mm)	order n.
1	63 227	6	63 727
2	63 234	7	63 289
3	63 241	8	63 296
4	63 258	9	63 302
5	63 265	10	63 319



BRUSHES FROM SPATIALLY CORRUGATED WIRE

STEEL - BRASS PLATED AND STAINLESS STEEL

It is special brushes production from spatially corrugated wire which increases effectivity of cleaning effect caused by new wire construction, thus better performed final result of cleaning. Brushes made of spatially corrugated wire increase effectivity of cleaning which is given by higher stiffness of individual brush compared to standard brushes with straight wire.



Comparison of basic prices in material design:
Exchange rate: 25,59 CZK/1 EUR

diam. 40mm pipe round, straight stain- less steel wire, M12	Price in EUR/1pc 2,10	diam.40mm pipe round, corrugated stain- less steel wire, M12	Price in EUR/1pc 4,65
square brush – straight, stainless steel wire, M12	build - to- oder	square brush- stainless steel wire, corrugated, M12	build - to- oder

For stainless steel parts we recommend to use exclusively brushes from STAINLESS STEEL WIRE with the use only of stand PE-polyurethan. Stainless steel brushes round from straight wire are made of stainless steel wire with the diameter 0,4mm, 0,5mm and 0,6 mm. Stainless steel brushes round – corrugated wire are made of stainless steel wire with the diameter 0,3mm.

Comparison of basic prices in material design:
Exchange rate: 25,29 CZK/1EUR

diam. 50 mm, pipe round steel, straight wire 0,4mm, M12	Price in EUR/1pc 0,95	diam. 50 mm, pipe round, steel – brass plated (corrugated wire 0,3mm), M12	Price in EUR/1pc 1,72
40x80 mm, pipe square, steel, straight wire 0,4mm	1,52	40x80 mm, pipe square, steel – brass plated (corrugated wire	2,96

Steel brushes round from straight wire are made of steel wire of diameter 0,4mm, 0,5mm and 0,6mm with the use of for example steel stand. Steel – brass plated round brushes are made of steel – brass plated wire of diameter 0,3mm up to brush diameter 100mm, above this diameter brushes are made of steel – brass plated wire of diameter 0,45mm. Steel – brass plated square brushes are made of steel – brass plated wire of diameter 0,3mm.

Note: It is possible to send complete price list with individual dimensions - types of brushes and assigned discounts upon request.

Note:

What we produce and sell

Parts for lightning rods and earthing

- complete assortment of lightning rod parts in FeZn, Cu (zinc, copper)
(supports, clamps, holders, collecting and earthing rods, earthing boards, protective squares and pipes, other accessories)
- lightning rod wire 8, 10mm, FeZn
- lightning rod wire 7mm, Cu
- earthing tape in dimensions 30 x 4, 20 x 3mm, FeZn
- cable clips SONAP
- cable clamps and tension bolts
- universal current clamps
- other connectors and assembly material



Technical brushes



- steel brushes for electrical drills and carbon grinder in design – wavy wire, braided, stainless, brass
- spring brushes
- abrasive brushes and systems for wood – polyamid fibre with abrasive SiC, abrasive fleece
- hand brushes in design wood, plastic – steel
- complete chimney programme
- pipe brushes round, square
- chimney machines for solid fuel and for gas vents
- rope extension and other accessories
- chimney pipes, knees, shrink rings, rosettes and lids for heating device
- chimney small roofs
- pipe brushes for Cu pipeline including abrasive fleece – special usage for water-heat-gas
- special stringing and brushes made to order incl. accessories
- abrasive and cutting components
- abrasive cut-outs and pinching elements for el.drill and angle grinders
- lamellar discs
- abrasive and cutting discs for metal and stone
- diamond discs
- other accessories
- hose clips – NORMA in design TORRO S
- cable clamps and tension bolts
- products from technical rubber

KOVOBLESK KPS OPAVA s.r.o.

747 83 Radkov

IČO: 25852841

tel./fax:+420 556 309 401

e-mail: kovoblesk@kovoblesk.cz

www.kovoblesk.cz

Sales Department:

tel./fax:+420 556 309 401

mobil: +420 731 089 709

e-mail: europa@kovoblesk.cz

Expedition, Warehouse:

tel./fax:+420 556 315 306

mobil: +420 606 581 019

e-mail:sklad@kovoblesk.cz

mobil: +420 606 140 365

e-mail:starecek@kovoblesk.cz

